

Single-Window Hub



Government of India Ministry of Environment, Forest and Climate Change (Issued by the State Environment Impact Assessment Authority(SEIAA), MAHARASHTRA)

To,

The Partner

D&TPROPERTIES

101 & 102, First floor, "Dhutpapeshwar" Plot no.2, Mritunjay Co-op Hsg. Soc., Mayur Colony, Near Aviraj Hostel, Kothrud, Pune. -411038

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam.

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/MH/INFRA2/447707/2023 dated 10 Oct 2023. The particulars of the environmental clearance granted to the project are as below.

EC24B038MH199606 1. EC Identification No.

SIA/MH/INFRA2/447707/2023 2. File No.

New 3. **Project Type** 4. В

Category

5. Project/Activity including 8(a) Building and Construction projects Schedule No.

6. Name of Project Shivneri & Torna Co-operative Housing Society Ltd.

Name of Company/Organization D & T PROPERTIES 7. 8. **Location of Project MAHARASHTRA**

9. **TOR Date** N/A

The project details along with terms and conditions are appended herewith from page no 2 onwards.

(e-signed) Pravin C. Darade, I.A.S. Date: 07/02/2024 **Member Secretary** SEIAA - (MAHARASHTRA)



Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH.Please quote identification number in all future correspondence.

This is a computer generated cover page.

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/INFRA2/ 447707/2023 Environment & Climate Change Department Room No. 217, 2nd Floor, Mantralaya, Mumbai- 400032.

To
M/s D & T Properties.
S.no. 115/4+5/2, Kothrud, Haveli,
Pune Maharashtra

Subject : Environmental Clearance for Proposed Residential Construction Project

"Shivneri & Torna Co-operative Housing Society Ltd" at Shivneri + Torna, S.no. 115/4+5/2, Kothrud, Haveli, Pune Maharashtra by M/s D &

T Properties.

Reference: Application no. SIA/MH/INFRA2/447707/2023.

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-3 in its 185th meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 273rd (Day-1) meeting of State Level Environment Impact Assessment Authority (SEIAA) held on 3rd January, 2024.

2. Brief Information of the project submitted by you is as below: -

1.	Proposal Number	Parivesh Propo	sal no. SIA/MH/INFRA2/447707/2023
2.	Name of Project	"Shivneri & To	rna Co-operative Housing Society Ltd."
		Projected By M	/s. D & T Properties.
3.	Project category	8(a)B2	
4.	Type of Institution	Private	全元の会計 1977 (1975年) (
5.	Project Proponent	Name	Anshu Nanakchand Wadhwani
		Regd. Office	101 & 102, First Floor, "Dhutpapeshwar" Plot No.2,
		address	Mritunjay Co-op Hsg.Soc., Mayur Colony, Near
			Aviraj Hostel, Kothrud Pune.
		Contact / e-mail	8390240011
			dandtproperties2@gmail.com
6.	Consultant	Open Arch Design	and Enviro Solutions LLP
		Office No. 1104 &	ε 1005, Real Tech Park,
	a transfer of the second secon		Vashi Railway Station,
		Vashi, Navi Mum	bai - 400705
		Accreditation No:	NABET/EIA/2124/IA0081
7.	Applied for	Fresh	
8.	Details of previous EC	NO	
9.	Location of the project	"Shivneri & To	orna Co-operative Housing Society Ltd" at
		Shivneri + Tor	na, S.no.115/4+5/2, Kothrud, Haveli, Pune
		Maharashtra by	M/s D & T Properties.
10.	Latitude and Longitude	Latitude -18°30'	42.53"N,
L		Longitude- 73°	48' 22.57"E
11.	Total Plot Area (m2)	3496.75 Sq.Mt.	

12	Deductions (m2)		135 Sq.Mt.					
13			3361.75 Sq.Mt.					
14			22555.77 Sq.Mt					
1 1	Proposed non-FSI (m2)	area	7431.88 Sq.Mt.					
16	Proposed TBUA (1	m2)	29987.65 Sq.Mt.					
.	TBUA (m2) appro Planning Authority date		Approved FSI area (sq Approved Non FSI are Sanction B.P. no: In Pr Date of Approval: In P	a (sq. m.) ocess				
18.	Ground coverage (m2	2) & %	2844.85 Sq.Mt.		744. E 4"			
$\overline{}$	Total Project Cost (R.		94.80 Cr		Sall Per	1940		
-	CER as per MoEF &	/	According to OM no. I	7. No. 22-	65/2017-IA dated	120.1	0.2020, CER	
	circulardated 01/05/2		activity are mentioned					
	Details of Building						on for	
				1. ja		2 1	ificatio	
	Previous EC / Pro	posed (Configuration			4 30	nange	
	Existing	To Carr			T TT 1 1 / / \	1. 39		
	Building:-	Bı	iilding Name	Config.	Height (m)	Fr	esh project	
	N.a.	Shivne	eri + Torna A wing	2B+G+18	8 73 m	1		
		100 m		B+G+15	60 m	-	1944 1943	
		784	eri + Torna B wing		설명보 - 보안됩니다.(1) 10	1001 4412		
22	Total number of ten	ements	Residential	– 188 , Re	sidential Users -	940 N	lo's.	
		i e	Dry Season (CMD)	un signic Salah	Wet Sea	son (CMD)	
					Figure 1			
		Fresh V	SECURITION OF MARKET AND ACTION OF THE PERSON OF THE PERSO		Fresh Water		89.10	
			ed (Flushing)		Recycled (Flush		42.30	
22	Water Dayler		ning Pool	0.00	Swimming Pool		0.00	
23	Water Budget	Recycle	ed (Gardening)		Recycled (Gardening)		0.00	
		Total	460mm	131.40	Total		131.40	
		Waste	water generation	114.21	Waste water generation		258.65	
24	Water Storage Con	saite fa	La)	
	water Storage Capa	acity 10.	r Firefighting - Underg	round wat	er tank (CMD): 1	150.00	•	
	Firefighting / UGT		r Firefighting - Undergo Firefighting - Overhe					
\rightarrow		(m3) Pune N	Firefighting - Overheadunicipal Corporation	ad water t n	ank (CMD):20.00	0 for e	each building	
25	Firefighting / UGT	(m3) Pune N	Firefighting - Overhea	ad water t n	ank (CMD):20.00 Post Monsoon:	0 for 6	each building 4 m	
25 26	Firefighting / UGT Source of water	(m3) Pune N	Firefighting - Overheadunicipal Corporation	ad water t n	ank (CMD):20.00	0 for 6	each building 4 m	
25 26	Firefighting / UGT Source of water Rainwater	(m3) Pune M Level o	Firefighting - Overheadunicipal Corporation	ad water to n ble:	ank (CMD):20.00 Post Monsoon:	0 for 6	each building 4 m	
25 26	Firefighting / UGT Source of water Rainwater	(m3) Pune N Level of	Firefighting - Overhed Municipal Corporation of the Ground water ta	ad water to n ble:	Post Monsoon: Pre-Monsoon: NA Rooftop recharg	12-14 14-16 e pits	4 m m	
25 26	Firefighting / UGT Source of water Rainwater	(m3) Pune N Level of	Firefighting - Overher Municipal Corporation of the Ground water tand no of RWH tank(s)	ad water to n ble:	Post Monsoon: Pre-Monsoon: NA Rooftop recharg Surface recharge	12-14 14-16 e pits	each building 4 m m - 02 - 02	
25 26	Firefighting / UGT Source of water Rainwater	(m3) Pune N Level of	Firefighting - Overher Municipal Corporation of the Ground water tand no of RWH tank(s)	ad water to n ble:	Post Monsoon: Pre-Monsoon: NA Rooftop recharge Surface recharge Total recharge p	12-14 14-16 e pits e pits ots- 0	ach building I m m - 02 - 02 4 Nos.	
25 26	Firefighting / UGT Source of water Rainwater	(m3) Pune M Level (Size ar Quanti	Firefighting - Overher Municipal Corporation of the Ground water tand no of RWH tank(sty and size of recharge	ad water ton ble:) e pits:	Post Monsoon: Pre-Monsoon: NA Rooftop recharg Surface recharge Total recharge p Size – 2.0 X 3.0	12-14 14-16 e pits e pits ots- 0 X 3.0	each building 4 m m - 02 - 02 4 Nos. 0 m	
25 26	Firefighting / UGT Source of water Rainwater	(m3) Pune M Level (Size au Quanti	Firefighting - Overher Municipal Corporation of the Ground water ta and no of RWH tank(s ty and size of recharge	ad water to ble:) e pits:	Post Monsoon: Pre-Monsoon: NA Rooftop recharg Surface recharge Total recharge p Size – 2.0 X 3.0	12-14 14-16 e pits e pits ots- 0 X 3.0	each building 4 m m - 02 - 02 4 Nos. 0 m	
25 26	Firefighting / UGT Source of water Rainwater Harvesting(RWH)	(m3) Pune M Level of Size an Quanti Domes Fire Fig	Firefighting - Overhead Municipal Corporation of the Ground water tand no of RWH tank(sty and size of recharge tic Capacity: 159 Cumphting Capacity: 150 Cumphting Capacity: 1	ad water to ble:) e pits:	Post Monsoon: Pre-Monsoon: NA Rooftop recharge Surface recharge Total recharge p Size – 2.0 X 3.0 UG Tank Capac	12-14 14-16 e pits e pits ots- 0 X 3.0	each building 4 m m - 02 - 02 4 Nos. 0 m	
25 26	Firefighting / UGT Source of water Rainwater Harvesting(RWH)	(m3) Pune M Level of Size an Quanti Domes Fire Fig	Firefighting - Overher Municipal Corporation of the Ground water ta and no of RWH tank(s ty and size of recharge	ad water to ble:) e pits:	Post Monsoon: Pre-Monsoon: NA Rooftop recharg Surface recharge Total recharge p Size – 2.0 X 3.0	12-14 14-16 e pits e pits ots- 0 X 3.0	each building 4 m m - 02 - 02 4 Nos. 0 m	
25 26	Firefighting / UGT Source of water Rainwater Harvesting(RWH) Details of UGT tanks if any:	(m3) Pune M Level (Size ar Quanti Domes Fire Fire Sewag	Firefighting - Overhead Municipal Corporation of the Ground water tand no of RWH tank(sty and size of recharge tic Capacity: 159 Cumphting Capacity: 150 Cumphting Capacity: 1	ad water to ble:) e pits:	Post Monsoon: Pre-Monsoon: NA Rooftop recharge Surface recharge Total recharge p Size – 2.0 X 3.0 UG Tank Capac	12-14 14-16 e pits e pits ots- 0 X 3.0	each building 4 m m - 02 - 02 4 Nos. 0 m	

28	Solid Waste	Type	Quantity	(kg/d)		Treatment	t / disposal	
	Management during	Dry waste:	NA		-	N	A	
	Construction	Wet waste:	NA			N	A	
	Phase	Construction waste	Excavation 5 cum			: 1470cum, Mu ck: 7350 cum,	rrum: 8575 cum,	
29	Solid Waste	Type	Qty.(kg/d)			disposal		
	Management during	Dry waste:	188 kg/Da	y Dry v	waste w	ill be sent for regency	ecycling to authorized	
	Operation Phase	Wet waste:	282 kg/Da	y Wet v	waste w	ill be convertin	g to compost by using	
		Haz. waste:	NA	NA				
		Biomedical waste	Negligible	medi	cal wast	ose the bio med e rules / guidel athority time to		
	:	E-Waste	3.00 kg/Da	y Hand	led over	to authorized v	endor	
	Green Belt	Total RG are		NA	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
	Development	Existing tree			No's		A	
	247 1742 124	Number of tr	rees to be plante			f trees to be plate plot size	ant against cutting + 23	
	# 21 1		ees to be cut:	to be cut: 19 No's to be retained: 23 No				
2.1	<u>.</u>		imber of trees to be transplanted: No					
	Power		wer supply:			MSEDC oad): 75 KVA	L _i ji	
	requirement	During Con						
	r april			on phase (Connected load): 1218 KVA on phase (Demand load): 563 KVA 630 KVA X 1 No's.				
		Transformer						
	는 사람들이 되었다. - 사람들이 사용하다	DG set:						
		Fuel used:					AX 1 No's	
32	Details of Enor		· · · · · · · · · · · · · · · · · · ·		Tr. 4 - 1	HSD		
32.	Details of Energy saving Environmental Type		D-4-1	!_	lotai	Saving – 26.6		
	Environmenta Management i	- 	Dugt		agion -		Cost	
	budget during			Dust suppression measures and barricading		2.1 Lac		
	Construction	Land			on & So	fety		
1 1	phase	Env. Mg		Site Sanitation & Safety Environmental Monitoring				
	-	<u> </u>	Health & safety Disinfection and Health Check-ups					
34.	Environmenta					Capital (Rs.)	O&M (Rs. /Y)	
1 1	Management p			e treatn	nent		· · · · · · · · · · · · · · · · · · ·	
	Budget during	treatmen			4	2.75 lakhs	8.40 lakhs	
	Operation pha	se RWH	RWH		8	.00 lakhs	0.40 lakhs	
		Solid Wa	iste Solid	Waste		2.50 lakhs	2.69 lakhs	
		Biomedi	cal Biome	dical W		.50 Lakhs	0.30 lakhs	
		Waste						
		Green be			5	lakhs	0.50 lakhs	
		developr						
		Energy s		saving		3.33 lakhs	2.21 lakhs	
		Disaster		ing ar	restor	8.50 lakhs	0.4 lakhs	
ᆫᆜ		Manager	nent				O THAIL	

Env. Monitoria	ng Air, water, No	ica		0.1071		
	Soil	1150,		0.125 lac	:/yr	
pe R	Required as per DCR	• •		Area per parkir	per parking (m2)	
Wheeler	69		276	12.50		
Wheeler	97	2	214	2.0		
cycles		e				
	Wheeler Wheeler cycles	DCR Wheeler 69 Wheeler 97 cycles	DCR Pro Wheeler 69 2 Wheeler 97 2 cycles	DCR Provided Wheeler 69 276 Wheeler 97 214 cycles	DCR Provided Wheeler 69 276 12.50 Wheeler 97 214 2.0	

3. The proposal has been considered by SEIAA in its 273rd (Day-1) meeting held on 3rd January,2023. and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

- 1. PP to submit copy of IoD.
- 2. PP to submit MoD NoC, elevation certificate from competent authority and fire NoC
- 3. PP to submit detailed plan for debris disposal in compliance with the The Construction and Demolition (C & D) Waste Management Rules.
- 4. PP to provide electric charging facility by providing charging points at suitable places as per Maharashtra Electric Vehicle Policy, 2021.
- 5. PP to ensure that, the water proposed to be used for construction phase should not be drinking water. They can use recycled water or tanker water for proposed construction.

B. SEIAA Conditions-

- 1. PP submitted that, as their plot area is less than 0.4 Ha, and hence as per the provisions of UDCPR, RG is not applicable to their project. Local planning authority to ensure the validity of the same.
- 2. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
- 3. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
- 4. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA III dt.04.01.2019.
- 5. SEIAA after deliberation decided to grant EC for-FSI-22252.12 m2, Non FSI- 7431.88 m2, total BUA-29684.00 m2. (Plan approval No-Zone-6/6984, dated-11.01.2024) (Restricted as per approval)

General Conditions:

a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and

- health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
 - IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
 - X. The Energy Conservation Building code shall be strictly adhered to.
 - XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas)

 Protection and Preservation of Trees Act, 1975 as amended during the validity of
 Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets

- may be decided with in consultation with Maharashtra Pollution Control Board.
- XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/Agriculture Dept.
 - IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
 - X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
 - XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter

- are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
- XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent

has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

- 5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.
- 6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.
- 8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
- 9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Pravin Darade
(Member Secretary, SEIAA)

Copy to:

- 1. Chairman, SEIAA, Mumbai.
- 2. Secretary, MoEF & CC, IA- Division MOEF & CC
- 3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
- 4. Regional Office MoEF & CC, Nagpur
- 5. District Collector, Pune.
- 6. Commissioner, Municipal Corporation Pune.
- 7. Regional Officer, Maharashtra Pollution Control Board, Pune.